

DESCRIPTION

REV.

BY

DATE

THIS DRAWING IS THE PROPERTY OF J&D MANUFACTURING AND ALL THE INFORMATION THEREIN IS CONFIDENTIAL AND MUST NOT BE MADE PUBLIC, NOR USED TO THE DISADVANTAGE OF J&D MANUFACTURING AND IS SUBJECT TO RETURN ON DEMAND.

ITEM NO.	PART NUMBER	MATERIAL	DESCRIPTION		
1	VR110EBA-C		Motor, 1/10HP, 1PH, 4PO, 1SP, 115/230V, 60/50hz	1	
2	VRB203	ALUM	BLADE, 20", 10 DEGREE, 3 WING, CW, 1/2" BORE	1	
3	VRSG20A-C	ALUM	SHUTTER, 20''X20" ALUMINUM SINGLE PANEL	1	
4	VRSG20ES	WIRE	GUARD, ES, 20" ROUND CHROME	1	
5	MC11552	18 GA. GALV.	FACE PLATE,20" ES	1	
6	HD10019	ALUM	WASHER, FLAT, 3/16" ID X 1/2" OD, ALUMINUM	4	
7	HD10038	ZINC	BOLT, CARRIAGE, 5/16-18 x 3/4"	4	
8	HD10043	ZINC	WASHER, FLAT, 5/16, ZINC FINISH	4	
9	HD10046	ZINC PLATED	NUT, NYLON INSERT LOCK / NYLOCK, 5/16"-18 GRADE 2, ZINC	4	
10	HD10052	ZINC	WASHER, FENDER, 3/16 x 1" O.D.	4	
11	HD10058	ZINC	NUT, NYLOCK, 10-32	4	
12	HD10240	S.S.	Rivet, Button, Large Flange, 3/16 X 1/4" Grip, Al	4	
13	OA215		LABEL, SERIAL NO., 8" O.D. ROLL, 1750/ROLL, 4 ROLLS/ CASE	1	
14	OA660		LABEL, WARNING "REMOVE & DISCARD MOTOR DRAIN PLUG" LABEL, 3" X 3", 2000/ROLL, WHITE, 6	1	
15	PP10404		LABEL, 3" X 3", 2000/ROLL, WHITE, 6 ROLLS PER CASE	1	

								IMPLIED TOLERANCE (UNLESS OTHERWISE NOTED)			
			Menulacturing					±.040		SED	
			TITLE: ES SHUTTER FAN, 20 INCH WITH CORD					±.020		REV 709	
							+.010	0 + .3	1/8,		
			CHECKED	DRAFTER	QC	ENG. MGR.	ANGL	+ 0.5	ō deg	E W D	
ı	DRAWN	DATE	SHEET	DRAWING NUMBER					MATERIAL:		
	CRB	4/15/2014	1 of 5	VES201C							







